



We Serve Technology The Right Way

WE DEAL IN PROFESSIONAL QUALITY PRODUCTS.

High quality products are chosen carefully by our experts. We provide Application Support, Quick Delivery, After Sales Service. Professional Engineers all over India always ready to reach our customers, understand their requirements and offer optimum solutions.

ISO 9001:2015

ROBOT FOR VARIOUS APPLICATIONS (CAPABILITY MATTERS)

TOKii®

● SOLDERING ● SCREW ASSEMBLY ● DISPENSING ● PCB CUTTING



TOKii-MSR230 multi wire Soldering machine helps To solder multiple wires in one go

BGA REWORK

TOKii®



BGA Rework with Vision Alignment Model TOKii-2027BGA

DROSS SEPARATOR SEPARO

MGR ELECTRO
ITALY



Separate Metal from Dross, Bench Top Solution

SELECTIVE MINI WAVE FROM ITALY

MGR ELECTRO
ITALY



Mini Wave for Selective Area Helps in soldering or Reworking, different kinds of nozzles as per customer's requirement is available.

NEW PRODUCTS

TOKii-2214MVM
Mini Wave

TOKii®



no more available

Helps in various soldering and reworking process. Different sizes of nozzle helps to speedy rework for multipins connects etc..

TOKii-WCS07
Thermal Wire Cutting
and Stripping

TOKii®



Other size on request

Wire Cutting Stripping Machine 16~ 32 AWG for electronic wires, silicone wires, Teflon wires, isolation wires, coaxial lines, sleeves, automatic cutting, peeling, intermediate peeling, semi peeling, and full peeling.

TOKii-HWCS06
Thermal Wire cutting
and Stripping

TOKii®



Thermal Wire stripping and cutting machine for Material cotton, cloth, leather, and fish mesh woven wire with a woven OD of less than 5.0mm.

TOKii-SBI02
SMT Squeegee
Blades
Inspection
Device

TOKii®



Pressure gauge reading: 2kg-5k
Marble : 00Level ($\leq 0.005\text{mm}$ tolerance)

TOKii-NCM40
SMT NOZZLE CLEANER

TOKii®



SMT nozzle cleaner


ICSF-SELECT6
Selective flux machine



Inline Machine helps to reduce flux consumption and also flexibility to apply flux more or less depending on point. No flux trapping of flux under the fixture.

Solder Paste Height Gauge

TOKii®



TOKii-STG02

Solder paste thickness gauge, thickness range for measurement: 0.03-1.5mm,
Measurement accuracy: $\pm 0.002\text{mm}$



TOKii-STG07

Solder paste thickness gauge, thickness range for measurement: 0.5mm-0.007mm ,
Measurement accuracy: $\pm 0.003\text{mm}$

SMT Splicing

TOKii®



HUMIDITY CONTROL IS CHALLENGING WE PROVIDE RIGHT SOLUTIONS

CLOSE LOOP HUMIDITY CONTROL SPECIAL SOLUTIONS BY US.

HUMIDIFIERS-DRY FOG SPECIAL TECHNOLOGY



Helps in dust control, lower static charge, lower SMT Pickup Failures and stencil printing quality

DE-HUMIDIFIER


TOKii®



TOKii-90DHM
(90 Ltr.)



TOKii-150DHM
(150 Ltr.)



TOKii-240DHM
(240 Ltr.)

DRY CABINET (Various sizes Available)

TOKii®



TOKii-1428 EDC (1428 Ltr.)
Dry Cabinet 1~10 RH
Other Sizes Available.



TOKii-728 EDC (728 Ltr.)
Dry Cabinet 1~10 RH
Other Sizes Available.

**DATA LOGGING
NITROGEN MODULE
OPTIONAL**



TOKii-320 EDC (320 Ltr.)
Dry Cabinet 1~10 RH
Other Sizes Available.

SMART-HYGROMETER

TOKii®



TOKii-03THMD
Programmable Temperature Humidity monitor with data log, alarm function and external display as option

Ultrasonic Cleaner with Heater Function, Industrial type

TOKii®



TOKii-USC Series



TOKii-UCM3-61



TOKii-UCM2-61

Inner Bath size:

- L600 × W600 × H300mm
- L500 × W500 × H300mm
- L400 × W400 × H300mm

Ultrasonic cleaning machine, capacity: 61L
cleaning with filtration+ultrasonic
rinsing+drying,900 watt 28/40 Khz

Ultrasonic cleaning machine, capacity: 61L
cleaning with filtration+drying, 900 watt
28/40 Khz

TOKii-SWM SERIES
Selective Wave Machine

TOKii®



Can Pump Dispenser
20-25Kg or 3 kg

TOKii®



TOKii-ARM40
Automatic Rivet Machine

TOKii®



Increase your productivity

TOKii-PCBCLN5339

TOKii®



In line Bare PCB Cleaning machine with
Ion Bar to remove static charge

Shoes Sole Cleaning Machine
Different Sizes available

TOKii®



TOKii-SCM100



TOKii-ECO-SCM1000/2000

**MANUAL GLUE
MACHINE
FOR LED LAMPS**

TOKii®



TOKii-6551

TOKii-6552

**ULTRASONIC
RIVET MACHINE
FOR PLASTIC**

TOKii®



**Plasma Surface
Cleaning Machine**
TOKii-PLSMA35
TOKii-PLSMA3040

TOKii®



NEW PRODUCTS

TOKii-SPH4 & TOKii-SPH8
Solder Paste Thawing Machine

TOKii®



Solder Paste Thawing Machine 4 as well as 8 Jar

TOKii-CC774
SMT COMPONENT COUNTER

TOKii®



TOKii-410SPM
SOLDER PASTE MIXER

TOKii®



**X-Ray
Component
Counter**

TOKii®



TOKii-XCCM80

Helps speed counting of component and label output.


Viscosity Meter

TOKii®



Model: TOKii-01VM

Viscosity Meter for Solder Paste range mPa.s 100 - 13M.



**Professional
Vacuum Sealing
Component Machine**

TOKii®



TOKii-VP60030

TOKii-VP60031

Vacuum Sealing and Nitrogen Purge, meets Class 100.

**Vacuum Sealing
Component Machine**

TOKii®



TOKii-VP500/550

Vacuum Sealing and Nitrogen Purge.

Holt Melt Machine

TOKii®



TOKii-HMM805



TOKii-HMM60

PCB Cutting Machine

TOKii®



TOKii-400DPM

Knife Splitting Machine 0-400 mm

**Stencil
Cleaning Machine**

TOKii®



TOKii-774SCM

Fully Automatic Stencil Cleaning Machine.

LEAST DOWNTIME ON YOUR PRODUCTION LINE WITH ASA BRAND

ELECTRIC SCREWDRIVER (0.1 to 50 kgf-cm)

ESD Version Available
Vacuum pick-up available
90 deg Head Available



Model: BS-200, BS-3000,
BS-4000F, BS-4000, BS-6500,
BS-6800

Brush-less Motor Series

ASC Series
Push to start

AD-8682
Push to start high torque

ASA-Pro



ASA-S1000M-2000M LVDC
Low Inertia High Precision Motor

ASA-4500
DC Auto Shut
Compact tool

ASA-7500, 9000
DC High Torque
Auto Shut Off

Mistake
Proofing
With Counter

TOKii®



Balancers



High Quality

TOOL HOLDER



PARA-15110-AC
PARA-15110-ACE
PARA-03110-OCE

AUTOMATIC SCREW FEEDER **TOKii®**

Increase your production efficiency

Use Our Experience &
Expertise for Right Way
of implementation



TOKii-ES90

90 DEGREE
ACTIVATION

TOKii®



Solution to
activate
Screwdriver
when it is
90° ± 3%.

SCREW FEEDER

Various type

TOKii®



TOKii-1050SF



TOKii-619



TOKii-1050C

MODERN SOLUTIONS FOR YOUR SCREW ASSEMBLY



SMART SERVO SCREWDRIVER **ST-SERIES** BY ASA TAIWAN

- PROGRAM YOUR TORQUE REQUIREMENTS
- REAL TIME TORQUE FEEDBACK WITH DATA TRACEABILITY
- AMAZING ACCURACY
- PROGRAMABLE I/O
- PC CONNECTIVITY



SSD JAPAN IS MILES AHEAD IN STATIC CHARGE ELIMINATION TECHNOLOGY

ION GUN 4TH GEN HF TECHNOLOGY

MISTAKE PROOF AVAILABLE



Model: Piezonizer AGZIII



Model: Piezonizer AGZIV



Shishido Electrostatic Ltd. Japan



Model: Piezonizer ZappIII

STATIC CHARGE MONITORING SYSTEM



Shishido Electrostatic Ltd. Japan



Model: DSF601

Ion BAR HDC-AC, AC & DC TECHNOLOGY

MISTAKE PROOF AVAILABLE



Shishido Electrostatic Ltd. Japan



Model: CABX (HDC AC technology for Long Term Ion Balance)


BJS Series



BOS Series



BUAS Series



Power Supply ST-11



FAN IONIZERS



Model: BF-X2ZB-V2 (Single Fan HF Tech.)
Model: BF-X2ME (Single Fan HDC AC Tech.)



Model: BF-X4ZB-(Double Fan HF Tech.)
Model: BF-X4ME (Double Fan HDC AC Tech.)



Model: BF-OHP3B (HDC AC technology for long term ion balance)




Shishido Electrostatic Ltd. Japan

ON-LINE SURFACE CHARGE MONITOR AND TRACEABLE DATA SYSTEM



ESD GATES



FLIP GATES



TURNSTILE GATES

TOKii®

- Many type Test Instruments per customer Requirement
- RF Data Log
- Face Recognition Data Log

STATIC CHARGE TESTER



Static Charge Meter Model DZ-4



Handy Charge Plate Monitor Model STATIRON DP




Shishido Electrostatic Ltd. Japan



Ionizer Checking

ESD WORKSTATION MONITOR WITH DATA LOG



TOKii-2WSM

TOKii®



Dual Wire

OPTICAL INSPECTION

TOKii®



Model: TOKii-MMS0475
Optical Scope, effective and economical

OPTICAL INSPECTION 4K 3D SCOPE

TOKii®

Model: TOKii-43DES
HD 4K pixel
3D stereo electron microscope,
Magnification: 25X- 230X



OPTICAL INSPECTION

TOKii®



Model: TOKii-MMS30160
Optical Scope HD High Resolution
Tilt Table optional

TOKii-LFMS310AF LARGE FIELD AUTO FOCUS SCOPE

TOKii®



Large Size Object inspection with auto focus.

OPTICAL INSPECTION TOKii®



Model: TOKii-910
Optical Scope for Horizontal Inspection with up down table

STEREO MICROSCOPE WITH CAMERA

TOKii®



TOKii-SM0745VS

OPTICAL INSPECTION TOKii®



TOKii-SM0745EA
Stereo Microscope with Extended arm with LED Source

OPTICAL INSPECTION TOKii®



TOKii-SM0745
Stereo Microscope, LED Source Optional

OPTICAL INSPECTION

TOKii®



TOKii-SM180EA
Stereo Microscope with Extended arm with LED Source



TOKii-SM0850
Microscope 8x-50X

XY Table

JOULE EFFECT HEATING

F. T. M
Technologies
FRANCE



Model: SI 1R (80 W) & Model: SI 2R (250W)

Quick instant heat transfer local heating without damage to insulation of connector.

THERMAL WIRE STRIPPER

F. T. M
Technologies
FRANCE



ENAMEL WIRE STRIPPING MACHINES TOKii-PSM Series

TOKii®




ENAMEL REMOVER, WIRE STRIPPING & WIRE TWISTING

ITB
GERMANY



Model HQ 35P, Model HQ 30
Flat and Round cable



A1LM for 0.2-0.8 mm Diameter
A3LM for 0.6-2.0 mm Diameter
A5LM for 1.2-4.5 mm Diameter

ISO 9001:2015



ADVANCE TECH®

ADVANCE TECH SERVICES PVT. LTD.

E-981, 3rd Floor, Saraswati Vihar, Pitampura, New Delhi-110034
Mob.: 959 959 2691, 959 959 2692 E-mail: info@advancetech.co.in

• DELHI • BANGALORE • PUNE • HYDERABAD • CHENNAI

For Latest Products Detail Visit www.advancetech.co.in

NEW PRODUCTS


**TOKii-AL3225
AUTO LOADER**



**TOKii-AL3225
AUTO UNLOADER**



**TOKii-1000IC / TOKii-IC600
INLINE INSPECTION CONVEYOR** **TOKii®**



**TOKii-LPM20-1515
FIBER LAZER MARKING**



**TOKii-LPM20-1120
FIBER LAZER MARKING**



**TOKii-XBGA-42
X-RAY MACHINE 2D**



**TOKii-XBGA-50
X-RAY MACHINE 2.5D**



**TOKii-PACLEAN-480
AUTOMATIC PALLET
CLEANING MACHINE**



**TOKii-NCM3001
NOZZLE CLEANING MACHONE**



NEW PRODUCTS

TOKii-BAKN-800
PCB Baking Oven



size 1000 H X 800 D X 800 W
mm, Temp. 20-250°C, Humidity
less than 5%

TOKii-SPSC-300 Solder Paste Storage
with FIFO System




Swiss SEFARTensocheck 200
Digital mesh tension meter



TOKii-CTM-H200 Cable Tie Machine



TOKii-CTM-H100 Cable Tie Machine



TOKii-CTM-D100 Cable Tie Machine

