

TOKii-T8

TOKii[®]



Magnifying lamps designed to offer high quality lighting with the best field of view and optimally performing ergonomics.

Magnifying lamp allows you to view the smallest detail perfectly in maximum comfort.

High quality LEDs to ensure a bright light with high levels of contrast and perfect colour matching and can easily be positioned exactly where the light is needed

Features

- Economical Magnifier
- Lens Size Ø5" (Ø127mm)
- Lens Diopter 8D
- Voltage AC 100-240V
- Power 14 W
- Light Source 60 pcs SMD LED(0.2W/pc, High luminous)
- Luminous 1200 lm
- CCT Daylight 5600 K- 6000 K(Working Mode)
- Material GLASS
- Use BASF Optical Material.
- Anti Glare Design.
- Heavy duty internal spring arm allows accurate and Consistent position
- Japanese High Quality LED.




TABLE TOP MOUNT
CLAMP 4 OPTIONAL

TOKii-T5SM

TOKii[®]



Magnifying lamps designed to offer high quality lighting with the best field of view and optimally performing ergonomics.

Magnifying lamp allows you to view the smallest detail perfectly in maximum comfort.

High quality LEDs to ensure a bright light with high levels of contrast and perfect colour matching and can easily be positioned exactly where the light is needed. Light white and Yellow with dimming function




TABLE TOP MOUNT
CLAMP 4 OPTIONAL

Features

- Economical Magnifier Small Size
- Lens Size (Ø 110mm)
- Lens Diopter 5D
- Voltage AC 100-240V
- Power 12 W
- Light Source LED (white and Yellow with adjustment function)
- Material clear white GLASS

TOKii-LP101

TOKii[®]



Features

- HD 10.1-inch screen HDMI microscope
- Screen: 10.1-inch, IPS high-definition screen, screen resolution: 1024 * 600
- Video maximum pixel: 1080P
- CMOS size: 1/2.8 "
- Camera resolution: 24M, 20M, 16M, 12M, 10M, 8M, 5M, 3M, 2M
- Recording resolution: 1080P, 720P
- Recording format: Mp4
- Focusing mode: manual
- Image format: JPG
- Magnification: 500/1000
- Digital zoom: supported
- Light source: 8 LED lights (brightness adjustable)
- Focusing range: 10-40mm (capable of viewing distant views)
- PC resolution and image transmission rate: 1280 * 1080/25fps
- White balance: automatic
- Exposure: Automatic
- PC operating system: Windos xp, win7, win8.1, win10, Mac OS x 10.5 or higher

TOKii-LP101

TOKii[®]

Features

- Supported languages: Simplified Chinese, Traditional Chinese, English, French, Spanish, Portuguese, German, Italian, Russian, Japanese, Korean
- Lens structure: 5G+IR
- Aperture: F4.5
- Camera angle: 16 °
- Interface and signal transmission method: Micro/USB 2.0
- Operating temperature: -10 ° C~+55 ° C
- Working humidity: 30%~85% Rh
- Working current: 700mA
- Power consumption: 3.5W
- Polymer lithium battery: 103665-3000mAh

Packaging content:

- Microscope body * 1
- Wireless remote control * 1
- Z19 metal bracket * 1
- TYPE-C data cable * 2
- HDMI cable * 1
- Micrometer * 1
- Instructions * 1
- Inner blister * 1
- External blister * 1
- Pearl cotton sheet * 1
- kraft paper box * 1